

ADEM Conditions

The ADEM has requested that the Mobile District incorporate the following Water Quality Conditions within this permit:

- WQ-1** During project implementation, the applicant shall ensure compliance with applicable requirements of ADEM Admin. Code Chapter 335-6-6 [National Pollutant Discharge Elimination System (NPDES)], Chapter 335-6-10 (Water Quality Criteria), and Chapter 335-6-11 (Water Use Classifications for Interstate and Intrastate Waters).
- WQ-2** ADEM permit coverage may be required prior to commencing and/or continuing certain activities/operations relating to or resulting from the project. If an applicant has any questions regarding ADEM regulated activity or the need for NPDES permit coverage, the applicant can contact ADEM's Water Division at (334) 271-7823. If an applicant has any questions regarding ADEM regulated activity or the need for air permit coverage, the applicant can contact ADEM's Air Division at (334) 271-7869. If the applicant has any questions regarding ADEM regulated activity or the need for hazardous, toxic, and/or solid waste permit coverage, the applicant can contact ADEM's Land Division at (334) 271-7730.
- WQ-3** Upon the loss or failure of any treatment facility, Best Management Practice (BMP), or other control, the applicant shall, where necessary to maintain compliance with this certification suspend, cease, reduce or otherwise control work/activity and all discharges until effective treatment is restored. It shall not be a defense for the applicant in a compliance action that it would have been necessary to halt or reduce work or other activities in order to maintain compliance with the conditions of this certification.
- WQ-4** The applicant shall retain records adequate to document activities authorized by this certification for a period of at least three years after completion of work/activity authorized by this certification. Upon written request, the applicant shall provide ADEM with a copy of any record/information required to be retained by this paragraph.
- WQ-5** The applicant shall conduct or have conducted, at a minimum, weekly comprehensive site inspections until completion of the proposed activity to ensure that effective BMPs are properly designed, implemented, and regularly maintained (i.e. repair, replace, add to, improve, implement more effective practice, etc.) to prevent/minimize to the maximum extent practicable discharges of pollutants in order to provide for the protection of water quality.
- WQ-6** The applicant shall implement a project-specific or a detailed general BMP Plan prepared by an ADEM recognized qualified credentialed professional (QCP) applicable to and commensurate with activities of the type proposed. Effective BMPs shall be implemented and continually maintained for the prevention and control of turbidity, sediment, and other sources of pollutants, including measures to ensure permanent revegetation or cover of all disturbed areas, during and after project implementation.
- WQ-7** The applicant shall implement a Spill Prevention Control and Countermeasures (SPCC) Plan for all temporary and permanent onsite fuel or chemical storage tanks or facilities consistent with

the requirements of ADEM Admin. Code R. 335-6-6-.12(r), Section 311 of the Federal Water Pollution Control Act, and 40 CFR Part 112. The applicant shall maintain onsite or have readily available sufficient oil and grease absorbing material and flotation booms to contain and clean-up fuel or chemical spills and leaks. The applicant shall immediately notify ADEM after becoming aware of a significant visible oil sheen in the vicinity of the proposed activity. In the event of a spill with the potential to impact groundwater or other waters of the State, the applicant should immediately call the National Response Center at 1-800-424-8802 and the Alabama Emergency Management Agency at 1-800-843-0699. The caller should be prepared to report the name, address and telephone number of person reporting spill, the exact location of the spill, the company name and location, the material spilled, the estimated quantity, the source of spill, the cause of the spill, the nearest downstream water with the potential to receive the spill, and the actions taken for containment and cleanup.

WQ-8 Additional, effective BMPs shall be fully implemented and maintained on a daily basis as needed to prevent to the maximum extent possible potential discharges of pollutants from activities authorized by this certification, directly to or to a tributary or other stream segment, that have the potential to impact a State water currently considered impaired [waterbody is identified on the Alabama 303(d) list, a total maximum daily load (TMDL) has been finalized for the waterbody, and/or the waterbody is otherwise considered a Tier 1 water pursuant to ADEM Admin. Code Ch. 335-6-10]. The applicant shall inspect all BMPs as often as is necessary (daily if needed) for effectiveness, need for maintenance, and the need to implement additional, effective BMPs. Additional effective BMPs shall immediately be implemented as needed to ensure full compliance with ADEM requirements and the protections of water quality in the impaired waterbody.

WQ-9 All construction and worker debris (e.g. trash, garbage, etc.) must be immediately removed and disposed in an approved manner. If acceptable offsite options are unavailable, effective onsite provisions for collection and control of onsite worker toilet wastes or gray waste waters (i.e. port-o-let, shower washdown, etc.) must be implemented and maintained. Soil contaminated by paint or chemical spills, oil spills, etc. must be immediately cleaned up or removed and disposed in an approved manner. Also, the applicant shall manage and dispose of any trash, debris, and solid waste according to applicable state and federal requirements.

WQ-10 All materials used as fill, or materials used for construction of structures in a waterbody, must be non-toxic, non-leaching, non-acid forming, and free of solid waste or other debris. This requirement does not preclude the use of construction materials authorized by the U.S. Army Corps of Engineers that are typically utilized in marine or other aquatic applications.

WQ-11 The applicant shall implement appropriate measures to minimize the potential for a decrease of instream dissolved oxygen concentrations as a result of project implementation. In addition, the applicant shall ensure that the activities authorized by this certification do not significantly contribute to or cause a violation of applicable water quality standards for instream dissolved oxygen.

WQ-12 The applicant shall implement appropriate, effective BMPs, including installation of floating turbidity screens as necessary, to minimize downstream turbidity to the maximum extent practicable. The applicant shall visually monitor or measure background turbidity. The applicant

must suspend operations should turbidity resulting from project implementation exceed background turbidity by more than 50 NTUs. Operations may resume when the turbidity decreases to within acceptable levels.

- WQ-13** The applicant shall evaluate, characterize, and as necessary, conduct regular analysis of any material proposed to be dredged/removed/disturbed in order to ensure that potential pollutants are not present in concentrations that could cause or contribute to a violation of applicable water quality standards. Information regarding the evaluation, characterization, or detailed results of any analyses shall be made available to ADEM upon request.
- WQ-14** If upland disposal areas are utilized, the applicant shall be responsible for the condition of the disposal area, including the structural integrity of any embankments, until the disposal area is permanently reclaimed or adequately stabilized, to ensure that sediment and/or turbidity in the return water and/or stormwater runoff will not cause substantial visible contrast with the receiving waters, or result in an increase of 50 NTUs above background turbidity levels in the receiving waters.
- WQ-15** For proposed activities associated with new or updated docks, marinas, multiple boat slips, floating docks, large or multiple piers, etc. or that increase the number of berthing areas, the applicant shall ensure that these facilities are equipped with appurtenances (i.e. trash receptacles, receptacles for fish offal and carcasses, SPCC plan for fueling facilities, and a sewage pump out system where appropriate) as needed to protect water quality.
- WQ-16** The applicant is encouraged to consider additional pollution prevention practices, low impact development (LID), and other alternatives to assist in complying with applicable regulatory requirements and possible reduction/elimination of pollutant discharges. LID is an approach to land development or re-development that works with nature to manage stormwater as close to its source as possible. LID employs principles such as preserving and recreating natural landscape features, minimizing effective imperviousness to create functional and appealing site drainage that treat stormwater as a resource rather than a waste product. There are many practices that have been used to implement these sustainable ideas such as bioretention facilities, rain gardens, vegetated rooftops, rain barrels, and permeable pavements. By implementing LID principles and practices, water can be managed in a way that reduces the impact of built areas and promotes the natural movement of water within the ecosystem or watershed.
- WQ-17** The applicant is encouraged to consider and implement a site design plan/strategy for post-construction hydrology to mimic pre-construction hydrology to the extent feasible, and for post-construction stormwater runoff peak flows and total stormwater volume to minimize potential downstream channel and stream bank erosion.
- WQ-18** In recognition that projects are site specific in nature and conditions can change during project implementation, ADEM reserves the right to require the submission of additional information or require additional management measures to be implemented, as necessary on a case-by-case, in order to ensure the protection of water quality. Liability and responsibility for compliance with this certification are not delegable by contract or otherwise. The applicant shall ensure that any agent, contractor, subcontractor, or other person employed by, under contract, or paid a

salary by the applicant complies with this certification. Any violations resulting from the actions of such person may be considered violations of this certification.

WQ-19 Issuance of a certification by ADEM neither precludes nor negates an operator/owner's responsibility or liability to apply for, obtain, or comply with other ADEM, federal, state or local government permits, certifications, licenses, or other approvals. This certification does not convey any property rights in either real or personal property, or any exclusive rights, trespass, or any infringement of Federal, State, or local laws or regulations, and in no way purports to vest in the applicant title to lands now owned by the State of Alabama nor shall it be construed as acquiescence by the State of Alabama of lands owned by the State of Alabama that may be in the applicant's possession.